



Manufacturer Inventory – Dry Erase

Dry Erase Clear Gloss Coating is a two component, waterbased polyurethane, for use over prepared interior surfaces where a dry erase surface is needed. Allows standard dry erase marker writing to be removed using a dry cotton cloth or dry eraser.

For additional information, please visit www.sherwinwilliams.com.



Manufacturer	The Sherwin-Williams Company sustainability@sherwin.com
Product	Dry Erase
Product IDs Included	Table 1
Document ID	CHEMMI-113
Date of Issue	March 19, 2024
Expiration Date	March 19, 2027
Disclosure Threshold	100 ppm
Applicable LEED Credit	LEED v4.1 Material Ingredient Reporting - Option 1
Third Party Verified	Yes
Third Party Verifier	NSF Certification LLC ncss@nsf.org

Manufacturer’s Inventory for Dry Erase Coating:

This shall serve as the Manufacturer’s Declaration of the Chemical Inventory for the LEED Material Ingredient Reporting credit for the Dry Erase Coating product, manufactured by The Sherwin-Williams Company.

Description of the Dry Erase Coating product line:

The Dry Erase Coating is a two-component system consisting of a Part A and Part B which have the following corresponding US GHS Classifications for each specific formulation. Part A and Part B must be combined before use using a 3:1 mix ratio. This product is not tinted and is intended for use over prepared interior surfaces.

Table 1. Product Level Information

Product Name	SW Product ID	US GHS Product Classification
Dry Erase Coating – Clear Gloss	B65C2000	FLAMMABLE LIQUIDS - Category 4
		SKIN SENSITIZATION - Category 1
Dry Erase Coating - Hardener	B65V2000	ACUTE TOXICITY (inhalation) - Category 4
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		RESPIRATORY SENSITIZATION - Category 1
		SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
		SKIN CORROSION/IRRITATION - Category 2
		SKIN SENSITIZATION - Category 1



Description of the Manufacturer’s Inventory Assessment:

In this assessment, we have disclosed the chemical content of all ingredients present at **>100 ppm (0.01%)** in this product line base formulation, the respective GHS hazards associated with these chemicals, and their function/role. This inventory does not include colorants. It should be noted that this product does not accept colorants as it is a clear gloss coating. In order to protect our confidential business information, specific quantities and CAS numbers are not reported for all chemicals. Additionally, chemicals with the same role have, in some cases, been aggregated into one line item.

When reviewing this document, it is important to consider that the potential hazards of the raw materials may not be relevant in the final, post-reacted product given that materials will often transform, be encapsulated, etc. As such, the information in this document shall not be utilized to make claims regarding product safety and/or to predict risk to end-users.

Information contained in this declaration has been verified by NSF as complying with LEED v4.1 Material Ingredient Reporting – Manufacturer Inventory criteria. Documents containing formula information were provided to NSF that represented each product line so that NSF could ensure accuracy throughout their review. These documents were exclusively shared with NSF to ensure business confidentiality. This information will be updated as necessary as reformulations or changes to GHS classifications occur. Additionally, this document will be internally audited by Sherwin-Williams annually to ensure correctness.

Any questions on this declaration should be sent to sustainability@sherwin.com.

Table 2. Raw Material Composition for Dry Erase Coating (as mixed – 3:1):

Material/Role	Content Range	GHS Classification(s)
Water CAS#: 7732-18-5	35%-45%	Not classified.
Resins	20%-30%	Not classified.
Hexamethylene Diisocyanate Polymer CAS#: 28182-81-2*	15%-25%	ACUTE TOXICITY (inhalation) - Category 4
		SKIN CORROSION/IRRITATION - Category 2
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		SKIN SENSITIZATION - Category 1
		SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
Hexanedioic acid, polymer with 2-oxiranylmethyl neodecanoate CAS#: 716336-43-5	3%-8%	SKIN SENSITIZATION - Category 1
Hexamethylene Diisocyanate Polymer CAS#: 28182-81-2*	1-5%	ACUTE TOXICITY (inhalation) - Category 3
		SKIN CORROSION/IRRITATION - Category 2
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		SKIN SENSITIZATION - Category 1
		SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
Solvents	1%-5%	FLAMMABLE LIQUIDS - Category 2



		ACUTE TOXICITY (oral) - Category 4
		ACUTE TOXICITY (inhalation) - Category 3
		SKIN CORROSION/IRRITATION - Category 2
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
		SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) (Narcotic effects) - Category 3
		Not classified.
Triethanolamine CAS#: 102-71-6	<3%	Not classified.
Blocked Polyisocyanate CAS#: 666723-27-9	<2%	ACUTE TOXICITY (inhalation) - Category 4
		SKIN SENSITIZATION - Category 1
		SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
Extender	<1%	Not classified.
Surfactant	<1%	ACUTE TOXICITY (oral) - Category 4
		SKIN CORROSION/IRRITATION - Category 2
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Hexamethylene Diisocyanate (max.) CAS#: 822-06-0	<1%	ACUTE TOXICITY (inhalation) - Category 2
		SKIN CORROSION/IRRITATION - Category 2
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
		RESPIRATORY SENSITIZATION - Category 1
		SKIN SENSITIZATION - Category 1
		SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
Additives	<1%	ACUTE TOXICITY (oral) - Category 4
		SKIN CORROSION/IRRITATION - Category 2
		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
		CARCINOGENICITY - Category 2
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

*Different Reach Registration Numbers

The information contained in this material ingredient disclosure is accurate to the best of Sherwin-Williams' knowledge at the time of writing based on the information provided to us by our raw material suppliers.

Steve Wiezorek
Senior Marketing Vice President – Product Innovation
sustainability@sherwin.com