ENVIRONMENTAL PRODUCT DECLARATION

MANNINGTON COMMERCIAL

Company Name	Mannington Commercial
Product Name	Infinity [®] RE
Description	Flooring – Modular Carpet Tile
Product Category Rule (PCR)	Flooring PCR for Carpet, Resilient, Laminate, Ceramic, Wood
Contact Information	1844 US Highway 41 S.E. Calhoun, GA 30701 1-800-241-2262 www.manningtoncommercial.com technicalservice.commercial@mannington.com



	Component	Material	Mass %		Origin of Raw		
	Component	Material		Renewable	Non-Renewable	Recycled	Materials
Material Content	Nylon Face Fiber	Nylon 6,6 (products: 98%)	12-21%		Fossil resource, limited		Global
		Nylon 6 (products: 2%)	12-2170		Fossil resource, limited		Global
	Synthetic Tufting Substrate	Polyester (products: 75%)	3-4%		Fossil resource, limited – 15%	Post- consumer – 85%	Global
		PET / Nylon (products: 25%)			Fossil resource, limited		Global
	Polymeric Performance Pre-coat	Vinyl Acetate / Ethylene copolymer	14-18%		Fossil resource, limited		Global
		Calcium Carbonate	14-1076		Mineral, abundant		Global
	Polymeric Compound Layer	Polyvinyl Chloride Polymer			Fossil resource, limited		Global
		DOTP			Fossil resource, limited		Global
		ввсн	24-27%				
		Calcium Carbonate			Mineral, abundant		Global
	Reinforcement Layer	Glass	1-2%		Mineral resource, abundant		US
	Polymeric Compound Layer	Polyvinyl Chloride Polymer	36-40%		Fossil resource, limited		Global
		DOTP			Fossil resource, limited		Global
		Calcium Carbonate			Mineral resource, abundant		Global
		Post -consumer Carpet			Recycled material, abundant	Post- consumer	US
		Pre -consumer Carpet			Recycled material, abundant	Pre- consumer	US
	Modifiers	Various	1-2%				Global

ENVIRONMENTAL PRODUCT DECLARATION



Certifications

LCA Stages and Impact Categories





	Category	Production	Delivery & Installation	Use	End of Life	Unit	Total
	Global Warming A relative measure of greenhouse gasses that when released in the atmosphere can change global weather patterns.	6.936E+01	4.119+00	1.887E+01	3.059E-01	[kg CO ₂ - eq.]	9.265E+01
Ē	Acidification An increase in the acidity of soil and water by the conversion of air pollutants into acids. Damages ecosystems and structures. Forest dieback and crumbling building facades are visible symptoms of the effect.	4.190E-01	2.531E-02	1.432E-01	1.930E-03	[kg SO ₂ - eq.]	5.894E-01
Ø	Ozone Depletion The destruction of ozone in the ozone layer of the stratosphere which shields the earth from ultraviolet radiation that is harmful to life.	9.382E-06	2.790E-07	4.128E-07	3.047E-08	[kg CFC- 11eq.]	1.010E-05
	Photochemical Ozone Creation Ozone high in the atmosphere protects us from ultraviolet (UV) light, but at low levels can damage vegetation and increase asthma and other respiratory complaints.	2.290E-02	1.162E-03	5.642E-03	5.236E-05	[kg C ₂ H ₄ - eq.]	2.976E-02
	Eutrophication May include increased growth of biomass such as algae in lakes, which reduces the dissolved oxygen levels with a resulting loss of aquatic species.	7.114E-02	3.765E-03	2.777E-02	4.068E-04	[kg PO ₄ - eq.]	1.031E-01
	Non-Renewable Material Resources The reduction of available non-renewable resources	7.479E-05	2.030E-07	5.391E-07	5.667E-10	[kg Sb- eq.]	7.553E-05

The functional unit represented in this table has been defined as 1 m² of flooring covering used for a building life of 60 years.

ENVIRONMENTAL PRODUCT DECLARATION



Recycled Content (Post/Pre-Consumer):	20-27% total recycled content including 10-17% post-consumer recycled content by total product weight
Sustainable Certifications:	NSF/ANSI 140 Platinum Certification
	ISO 14001
	EN 14041:2004 CE-Labeling
VOC Emissions Testing:	CRI Green Label Plus Certified
Recycling/Reuse Program:	LOOP [®] reclamation program
Use of Renewable Energy:	3% renewable energy

Additional

Information