ENVIRONMENTAL PRODUCT DECLARATION

MANNINGTON

Company Name Mannington Commercial

Product Name Infinity[®] - tile

Description Flooring – Modular Carpet Tile

Product Flooring PCR for Carpet, Resilient, Laminate, Category Ceramic, Wood Rule (PCR)

Contact 1844 US Highway 41 S.E. Information Calhoun, GA 30701 1-800-241-2262 www.manningtoncommercial.com technicalservice.commercial@mannington.com



Material Content

Component	Material	Mass %	Availability			Origin of Raw Materials
	Nulses C. C. (pre-ductor, 05%)		Renewable	Non-Renewable	Recycled	Clahal
Nylon Face Fiber	Nylon 6,6 (products: 95%)	10-19%		Fossil resource, limited		Global
	Nylon 6 (products: 5%)			Fossil resource, limited		Global
Synthetic Tufting Substrate	Polyester (products: 68%)	2-3%		Fossil resource, limited – 15%	Post-consumer, abundant – 85%	Global
	PET / Nylon (products: 32%)			Fossil resource, limited		Global
Polymeric Performance Pre-coat	Vinyl Acetate / Ethylene Copolymer	14-16%		Fossil resource, limited		Global
	Calcium Carbonate	14-1070		Mineral, abundant		Global
Polymeric Compound Layer	Polyvinyl Chloride Polymer	- 28-31%		Fossil resource, limited		Global
	DOTP			Fossil resource, limited		Global
	ВВСН			Fossil resource, limited		Global
	Calcium Carbonate			Mineral, abundant		Global
Reinforcement Layer	Glass	1-2%		Mineral resource, abundant		US
Polymeric Compound Layer	Polyvinyl Chloride Polymer			Fossil resource, limited		Global
	DOTP	35-39%		Fossil resource, limited		Global
	ВВСН			Fossil resource, limited		Global
	Calcium carbonate				Pre-consumer, abundant	US
Modifiers	Various	1-2%				Global

Certifications

SCScertified



ENVIRONMENTAL PRODUCT DECLARATION

LCA Stages and Impact Categories

	Category	Production	Delivery & Installation	Use	End of Life	Unit	Total
	Global Warming A relative measure of greenhouse gasses that when released in the atmosphere can change global weather patterns.	6.126E+01	4.119E+00	1.887E+01	3.407E-01	[kg CO ₂ -eq.]	8.459E+01
L	Acidification An increase in the acidity of soil and water by the conversion of air pollutants into acids. Damages ecosystems and structures. Forest dieback and crumbling building facades are visible symptoms of the effect.	3.511E-01	2.531E-02	1.432E-01	2.150E-03	[kg SO ₂ -eq.]	5.217E-01
Ø	Ozone Depletion The destruction of ozone in the ozone layer of the stratosphere which shields the earth from ultraviolet radiation that is harmful to life.	1.877E-06	2.790E-07	4.128E-07	3.393E-08	[kg CFC-11eq.]	2.603E-06
	Photochemical Ozone Creation Ozone high in the atmosphere protects us from ultraviolet (UV) light, but at low levels can damage vegetation and increase asthma and other respiratory complaints.	2.050E-02	1.162E-03	5.642E-03	5.831E-05	[kg C ₂ H ₄ -eq.]	2.736-02
	Eutrophication May include increased growth of biomass such as algae in lakes, which reduces the dissolved oxygen levels with a resulting loss of aquatic species.	6.064E-02	3.765E-03	2.777E-02	4.530E-04	[kg PO₄-eq.]	9.263E-02
	Non-Renewable Material Resources The reduction of available non- renewable resources	1.417E-04	2.030E-07	5.391E-07	6.311E-10	[kg Sb-eq.]	1.424E-04

The functional unit represented in this table has been defined as $1 m^2$ of flooring covering used for a building life of 60 years.

ENVIRONMENTAL PRODUCT DECLARATION



Additional Information

Recycled Content (Post/Pre-Consumer):	25-28% total recycled content			
Sustainable Certifications:	NSF/ANSI 140 Gold Certification			
	ISO 14001			
	EN 14041:2004 CE-Labeling			
OC Emissions Testing:	CRI Green Label Plus Certified			
Recycling/Reuse Program:	LOOP [®] reclamation program			
Use of Renewable Energy:	2.88% renewable energy			