

# Expansion

**Desking Systems** 

#### **Environmental Product Declaration**

Date of Issue: 11/27/2024 Date of Expiration: 11/27/2029

#### PRODUCT CATEGORY RULE

BIFMA PCR for Office Furniture Workspace Products, UNCPC 3814 v1 (2023) Product Sub-Category: Panels + other office components

#### FUNCTIONAL UNIT

1 m<sup>2</sup> of physical floor space for a period of 10 years (0.291 units of Expansion Desking). This study covers a representative configuration and includes the fabric panels, glass elements, work surfaces, overhead cabinet storage with doors, and metal filing storage. This product does not contain components that consume energy during use.



This EPD was not written to support comparative assertions. EPDs based on different PCRs or different calculation models may not be comparable. When attempting to compare EPDs or life cycle impacts of products form different companies, the user should be aware of the uncertainty in the final results due to and not limited to the practitioner's assumptions, the source of the data used in the study, and the software tool used to conduct the study.

Compared with the image above, the modeled configuration includes only 1 workstation. The modeled configuration includes one additional fabric panel privacy screen topped with a glass element on the worksurface with the filing storage unit.

<sup>1</sup> 

| Program Operator   | NSF Certification, LLC<br>789 N. Dixboro, Ann Arbor, MI 48105<br>sustainability@nsf.org  |
|--|--|
| Manufacturer Name and Address  | Teknion<br>1150 Flint Rd, North York, ON M3J 2J5, Canada   |
| Declaration Number   | EPD10188   |
| Declared Product and Functional Unit   | 1 m <sup>2</sup> of physical floor space for a period of 10 years (0.291 units of Expansion Desking)   |
| Reference PCR and Version Number   | BIFMA PCR for Office Furniture Workspace Products: UNCPC 3814 v1 (2023)  |
| Product's intended Application and Use   | Commercial Furniture   |
| Product RSL  | 10 years   |
| Markets of Applicability   | North America  |
| Date of Issue  | 11/27/2024   |
| Period of Validity   | 5 years from date of issue   |
| EPD Type   | Product Specific   |
| Range of Dataset Variability   | N/A  |
| EPD Scope  | Cradle to Grave  |
| Year of reported manufacturer primary data   | 2023   |
| LCA Software and Version Number  | Sphera LCA for Experts (fka GaBi) 10.8   |
| LCI Database and Version Number  | Managed Life Cycle Content Version 2024.1 (formerly GaBi)  |
| LCIA Methodology and Version Number  | TRACI 2.1, IPCC AR6 GWP100   |
| The sub-category PCR review was conducted by:  | Thomas Gloria, PhD (chair)<br>Jack Geibig, P.E.<br>Michael Overcash, PhD   |
| This declaration was independently verified in accordance with<br>ISO 14025: 2006. The BIFMA PCR for Office Furniture Workspace<br>Products: UNCPC 3814 serves as the core PCR.<br>☐ Internal ⊠ External | Jack Geibig<br>Jack Geibig<br>jgeibig@ecoform.com  |
| This life cycle assessment was conducted in accordance with ISO 14044 and the reference PCR by:  | WAP Sustainability Consulting  |
| This life cycle assessment was independently verified in accordance with ISO 14044 and the reference PCR by:   | <b>Jash Heiliz</b><br>Jack Geibig<br>jgeibig@ecoform.com   |
|  | ISO 14025) may not be comparable.<br>oducts using EPD information shall be based on the product's use and impacts at<br>ed for comparability purposes when not considering the building energy use |

phase as instructed under this PCR.

Full conformance with the PCR allows EPD comparability only when all stages of a life cycle have been considered. However, variations and deviations are possible". Example of variations: Different LCA software and background LCI datasets may lead to differences results for upstream or downstream of the life cycle stages declared.

The PCR this EPD was based on was written to determine the potential environmental impacts of a furniture workspace product from cradle-to-grave. It was not written to support comparative assertions. EPDs based on different PCRs, or different calculation models, may not be comparable. When attempting to compare EPDs or life cycle impacts of products from different companies, the user should be aware of the uncertainty in the final results, due to and not limited to, the practitioner's assumptions, the source of the data used in the study, and the specifics of the product modeled.



Compared with the image above, the modeled configuration includes only 1 workstation. The modeled configuration does not include the credenza storage beneath the worksurface. The modeled configuration includes one additional fabric panel privacy screen topped with a glass element on the worksurface with the filing storage unit.

#### **Company Description**

Teknion Corporation designs, manufactures, and markets workplace interiors. Its products include panel systems, desking systems, private office systems/case goods, seating solutions, architectural products, tables and collaborative spaces, storage products, work better tech products (complements), and textiles. The company's products are used in various applications, including open, collaborative, private, meeting, lounge, learning, next culture, and work couture areas. Teknion Corporation was founded in 1981 and is based in Toronto, Canada.

#### **Product Description**

Designed to permit a creative approach to space planning, Expansion® Desking is a comprehensive line of freestanding furniture that creates spaceefficient workstations. Expansion Desking uses the same collection of products to achieve varied applications, from open-plan collaborative configurations to private offices with a casegoods look, promoting integration of finishes and components and reducing overall inventory.

The workspace solution studied can contain panels, worksurfaces, storage solutions, and power cables, depending on the final configuration. The specific configuration modeled includes product codes RLDUMD8T3355 (power box), RLDUMD8T1122 (power box), RLDCM8T054 (power harness), RLDBM8T84 (base feed), RDMLT84 (modesty panel), RWSQ29 (square post leg), RPSC37 (structural column), RPSC22 (structural column), ROARDC84 (accessory rail), RLPSU029 (lateral power pole), RDMLF72 (lateral power pole), RAPC29 (post cover), RUDRL24247272 (L-shaped desk), RYSF3783 (fabric element), RYEF2272 (fabric element), RTLDL3048N (worksurface), ROCMFC1684 (overhead cabinet), RBTPS180612 (pedestal). Additional details of the product configuration used for this EPD is below, but other configurations are possible. This product is determined to be a representative product based on sales of the variations. While the exact configuration purchased may be slightly different, it is expected to have impacts within 10% of this representative configuration.

|                     | Expansion Desking   |  |  |  |  |
|---------------------|---|--|--|--|--|
| Product Category    | Panels + other office components  |  |  |  |  |
| Number of Occupants | 1   |  |  |  |  |
| Floor Area          | 3.44 m <sup>2</sup>   |  |  |  |  |
| Components Included | 2 Panels, L-Shaped Worksurface, Pedestal Box/File Storage, Overhead Cabinet Storage |  |  |  |  |
| Defining Features   | Worksurface, integrated panels, storage devices                                     |  |  |  |  |
| Energy Usage        | 0 kWh/hr  |  |  |  |  |
| Recycled Content    | 78.8% pre-consumer, 5.6% post-consumer  |  |  |  |  |

#### **Product Composition**

Like many commercial furniture products, Expansion Desking is available in a multitude of configurations. For this particular study, a representative configuration was used. This composition of the configuration is provided in the table below. While the exact configuration purchased may be slightly different, it is expected to have impacts within 10% of this representative configuration.

The total product weight is 293.9 kg, with total product area of 3.44 m<sup>2</sup> and a reference service life of 10 years. To meet the functional unit, 0.291 units of Expansion Desking are required, with a reference flow of 85.5 kg.

| Material       | Mass % | Material         | Mass % |
|----------------|--------|------------------|--------|
|                |        |                  |        |
| LPL            | 37.2%  | Steel - Imported | 1.9%   |
| Particle Board | 26.7%  | PP               | 1.4%   |
| Steel          | 14.0%  | HPL              | 1.4%   |
| Tentest        | 6.5%   | Electrical       | <1%    |
| Aluminum       | 5.6%   | Fabric           | <1%    |
| Glass          | 3.5%   | Powder Coat      | <1%    |

#### **Selection of Impact Parameters**

Environmental Impacts were calculated using the LCA for Experts software platform. Impact results have been calculated using TRACI 2.1 and IPCC AR6 GWP100 characterization factors. Results presented in this report are relative expressions and do not predict impacts on category endpoints, the exceeding of thresholds, safety margins, or risks.

| Abbreviation   | Abbreviation Parameter                              |                       |
|----------------|---|-----------------------|
|                |   |                       |
| AP             | Acidification potential of soil and water           | kg SO <sub>2</sub> eq |
| EP             | Eutrophication potential                            | kg N eq               |
| GWP incl bio c | Global warming potential, including biogenic carbon | kg CO <sub>2</sub> eq |
| GWP excl bio c | Global warming potential, excluding biogenic carbon | kg CO <sub>2</sub> eq |
| ODP            | Depletion of stratospheric ozone layer              | kg CFC 11 eq          |
| SFP            | Photochemical ozone creation potential              | kg O₃ eq              |

In addition to the environmental parameters above, the following resource use and waste categories are also disclosed.

| Abbreviation | Parameter   | Unit                    |  |
|--------------|---|-------------------------|--|
| PED          | Total use of renewable and non-renewable primary energy resources | MJ, net calorific value |  |
| FW           | Net use of fresh water  | kg                      |  |
| RPRE         | Renewable primary resources used as an energy carrier             | MJ, net calorific value |  |
| RPRM         | Renewable primary resources used as a material                    | MJ, net calorific value |  |
| NRPRE        | Non-renewable primary resources used as an energy carrier         | MJ, net calorific value |  |
| NRPRM        | Non-renewable primary resources used as a material                | MJ, net calorific value |  |
| RE           | Recovered energy from disposal of waste in previous systems       | MJ, net calorific value |  |

#### LCA Results

All results are given per functional unit, which is 1 m<sup>2</sup> of physical floor space for a period of 10 years. Expansion Desking has an area of 3.44 m<sup>2</sup>. The product meets testing criteria per ANSI/BIFMA X5.6 and has a reference service life of 10 years. To fulfil the functional unit, 0.291 units of product are required.

#### **TRACI** Results

| Impact Category | Unit         | Total    | Material Acquisition | Production | Distribution, Storage<br>and Use | e,<br>End-of-Life |
|-----------------|--------------|----------|----------------------|------------|----------------------------------|-------------------|
| AP              | kg SO₂ eq    | 6.80E-01 | 5.97E-01             | 2.45E-02   | 3.30E-02                         | 2.53E-02          |
| EP              | kg N eq      | 3.21E-02 | 2.30E-02             | 2.66E-03   | 2.93E-03                         | 3.45E-03          |
| GWP incl bio c  | kg CO₂ eq    | 6.17E+01 | 2.98E+01             | 2.87E+00   | 7.11E+00                         | 2.20E+01          |
| GWP excl bio c  | kg CO₂ eq    | 1.37E+02 | 1.18E+02             | 7.35E+00   | 7.12E+00                         | 4.45E+00          |
| ODP             | kg CFC 11 eq | 2.30E-07 | 2.30E-07             | 3.93E-13   | 2.10E-14                         | 8.68E-14          |
| SFP             | kg O₃ eq     | 8.38E+00 | 6.76E+00             | 4.28E-01   | 7.59E-01                         | 4.36E-01          |

#### **LCI Indicators**


| Impact Category | Unit | Total    | Material Acquisition | Production | Distribution, Storaç<br>and Use | ge,<br>End-of-Life |
|-----------------|------|----------|----------------------|------------|---------------------------------|--------------------|
| PED             | MJ   | 4.16E+03 | 3.74E+03             | 2.86E+02   | 9.82E+01                        | 3.70E+01           |
| FW              | kg   | 1.25E+00 | 9.23E-01             | 2.68E-01   | 1.38E-02                        | 4.38E-02           |
| RPRE            | MJ   | 2.14E+03 | 1.95E+03             | 1.75E+02   | 4.16E+00                        | 4.22E+00           |
| RPRM            | MJ   | 7.50E+02 | 7.50E+02             | 0.00E+00   | 0.00E+00                        | 0.00E+00           |
| NRPRE           | MJ   | 2.03E+03 | 1.79E+03             | 1.11E+02   | 9.40E+01                        | 3.28E+01           |
| NRPRM           | MJ   | 7.74E+01 | 7.74E+01             | 0.00E+00   | 0.00E+00                        | 0.00E+00           |
| RE              | MJ   | 0.00E+00 | 0.00E+00             | 0.00E+00   | 0.00E+00                        | 0.00E+00           |

#### Interpretation

A dominance analysis was performed for the product show which of the life cycle stages contributes to the majority of the impacts. Results are shown for the 4 TRACI 2.1 impact categories and IPCC AR6 GWP100.

Overall, the dominance analysis shows the vast majority of the impacts are coming from the material acquisition and pre-processing and the endof-life stages. This tracks with the majority of durable goods similar to Expansion Desking. RE is equal to zero and is excluded from the dominance analysis graph at the right.

An additional dominance analysis was performed to determine the relative impacts of the materials used in the production of Expansion Desking. For most of the LCIA indicators, the top material impacts are steel and aluminum, with particleboard and glass, depending on the indicator.



#### Additional Environmental Information

Teknion is a supporter and/or a participant in the following environmental and sustainability related programs.

- The International Living Future Institute's Declare program. Products with Declare labels can be found at https://living-future.org/declare/
- ANSI/BIFMA e3-2019 Furniture Sustainability Standard program. Expansion Desking is certified to Level 3.
- Teknion products, including Expansion Desking, comply with SCS's Indoor Advantage Gold program. Expansion Desking's certification can be found at this link.
- Teknion has been a member of the USGBC since 2016.

Additionally, Teknion publishes an annual Impact Report which is publicly available at <u>https://teknion-limited.shorthandstories.com/impact-report-3-</u> <u>0/index.html</u>

#### References

Life Cycle Assessment of Teknion's Workspace and Table Products. WAP Sustainability. July 2024.

BIFMA PCR for Office Furniture Workspace Products, UNCPC 3814 v1. Extended July 2023.

Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press. IPCC. 2021.

ISO 14025:2006 Environmental labels and declarations – Type III environmental declarations – Principles and procedures.

ISO 14040:2006 Environmental management - Life cycle assessment - Principles and framework.

ISO 14044:2006 Environmental management - Life cycle assessment - Requirements and guidelines.