

Share It

EMEA



Certified
Environmental
Product Declaration
www.nsf.org



About this product

Share It supports individuals and groups with hardworking storage solutions that offer workers choice and control over their environment.

The reference product is a single door storage unit with 10-year service life and 0.15 m³ of storage capacity.

Date of Issue: December 20, 2024
Date of Expiration: December 20, 2029

Learn more

- Explore Steelcase environmental philosophy and commitments [overview](#).
- Find product details and sustainability certifications on [product page](#) at steelcase.com.
- See our product [warranty](#).
- Contact epd@steelcase.com for any EPD-related questions or inquiries.

About this document

This declaration describes the Life Cycle Assessment of the Share It produced for the EMEA markets by Steelcase Inc. in the Czech Republic. The assessment is performed according to the ISO standards 14040 (2006), 14044 (2006) and 14025 (2006), EN 15804+A2 and BIFMA PCR for Storage: UNCPC 3812 to generate an EPD for business-to-business communication.

ASSESSMENT OVERVIEW

EPD commissioner	Steelcase® Inc
Corporate Address	901 44th Street SE Grand Rapids, Michigan 49508-7594 United States
Product group	Storage
Product name	Share It
Product intended use	Storage
Product reference service life	10 years
Reference standards	ISO 14025, ISO 14040, ISO 14044, EN 15804+A2
EPD scope	Cradle to grave
EPD number	EPD11009
Date of issuance	December 20, 2024
Date of expiration	December 20, 2029
EPD type	Product specific
EPD Product Coverage	Share It for the EMEA market
Intended audience	Business to business (B2B)
Year of reported manufacturer data	2023
Functional unit	Storage unit with hinged door, 0.15 m3 for a reference service life of 10 years
Applicable markets/regions	EMEA
LCA software and database version	GaBi 10.6.2.9; GaBi database, 2022.2
LCIA methodology and version number	TRACI 2.1, IPCC AR6, EN15804+A2 (EF 3.1)
Program administrator	NSF Certification LLC 789 N. Dixboro, Ann Arbor, MI 48105 www.nsf.org
Reference PCR and version number	BIFMA PCR for Storage: UNCPC 3812 (BIFMA PCR, 2022)
PCR reviewer	Review Panel Chaired by Dr. Thomas Gloria
EPD reviewer	<p>External review conducted by:</p>  <p>Jim Mellentine, Thrive ESG This declaration and its Life Cycle Assessment was independently verified in accordance with ISO standards 14040 (2006), 14044 (2006), 14025 (2006), and BIFMA PCR for Storage UNCPC 3812 (2022).</p>
LCA reviewer	<p>External review conducted by:</p>  <p>Jim Mellentine, Thrive ESG The product Life Cycle Assessment was conducted in accordance with ISO 14044 and the reference PCR.</p>
Disclaimer	<p>The PCR this EPD was based on was written to determine the potential environmental impacts of a storage product from cradle to grave. It was not written to support comparative assertions. EPDs based on different PCRs, or different calculation models, may not be comparable. When attempting to compare EPDs or life cycle impacts of products from different companies, the user should be aware of the uncertainty in the final results, due to and not limited to, the practitioner's assumptions, the source of the data used in the study, and the specifics of the product modeled.</p>

ASSESSMENT PARAMETERS

Functional unit

0.15 m³ of storage space including packaging, for a reference service life of 10 years under ANSI/BIFMA X5.9.

Product scope

One product with a storage volume of 0.66 m³. To match the functional unit of 0.15 m³, the results in this EPD were scaled down to 0.226 of one Share It (W9D5S1300) Melamine Single Unit Hinged Door, including the GM1 handle. The product is subcategory 4.2 Closed Static Storage with hinged doors.

Manufacturing location
Střibro, Czech Republic

Assessment goal and scope




The potential environmental impacts of Share It storage and its packaging throughout its entire life cycle – including raw materials extraction, production, transport, use, and end of life – were assessed. In the absence of primary information, the GaBi database was used for secondary data.

The life cycle stages included in this assessment follow the BIFMA PCR for Storage: UNCPC 3812 and EN 15804:2012+A2:2019 Sustainability of Construction Works - Environmental product declarations - core rules for the product category of construction products. Material acquisition and pre-processing (including transportation), production, distribution, use and end-of-life are assessed for the storage product.



Assessment boundary

The Life Cycle Assessment considers the full life cycle of the product as described here, cradle to grave. Life cycle stages and phases included in this assessment follow the BIFMA PCR for Storage and are presented in the following table.

	Stage	Status
 <p>Cradle to inbound gate MATERIALS ACQUISITION Raw material extraction, pre-processing and transportation. Transportation up to the factory gate and internal transport.</p>	A1. Raw material supply	✓
	A2. Transport	✓
	<hr/>	
 <p>Gate to gate PRODUCTION PROCESS External and internal manufacturing of products, ancillary materials, parts, packaging.</p>	A3. Manufacturing	✓
	<hr/>	
 <p>Gate to grave DISTRIBUTION, USE AND END OF LIFE Distribution of products, installation, use and end of life.</p>	A4. Transport	✓
	A5. Installation	✓
	B1. Use	✓
	B2. Maintenance/cleaning	✓
	B3. Repair	✓
	B4. Replacement	✓
	B5. Refurbishment	✓
	B6. Operational energy use	✓
	B7. Operational water use	✓
	C1. Disassembly	✓
	C2. Transport	✓
	C3. Waste processing	✓
	C4. Disposal	✓
	<hr/>	
Beyond the boundary	D. Reuse/recovery	✓

RESULTS: SHARE IT

The product composition, packaging composition, recycled content, recyclability visuals, and life cycle impacts below relate specifically to 0.15m³ (0.226 units) of the Share It storage configuration listed above.


Product composition

Material	Weight (kg)	Weight (%)	Resource Type
Melamine + Particleboard	12.303	78.41%	Recycled, Virgin Renewable
Steel	2.990	19.06%	Recycled, Virgin Non-Renewable
ABS	0.284	1.81%	Virgin, Non-Renewable
Zinc Alloy	0.076	0.48%	Virgin, Non-Renewable
Other	0.038	0.24	Virgin, Non-Renewable
Total	15.690	100%	


Product packaging composition

Material	Weight (kg)	Weight (%)	Resource Type
Cardboard	0.205	93.65%	Recycled, Virgin Renewable
PE	0.011	5.10%	Virgin, Non-Renewable
Other	0.003	1.25%	Virgin, Non-Renewable
Total	0.219	100.00%	

Product recycled content* and recyclability** summary



TOTAL RECYCLED CONTENT*



RECYCLABILITY BY WEIGHT**

*Total recycled content based on supplier's data. The source of recycled content of various materials could be either post-industrial or post-consumer based on market availability. Packaging excluded.

**Recyclability: this recyclability rate is the maximum amount of the product that is recyclable, based on the availability of recycling facilities in the specified regions and the ability of the product to be disassembled. Note that, per the requirements of the PCR, the end-of-life results presented in this EPD were calculated using the US EPA's recycling rates within the 2020 Municipal Solid Waste Report for parts that can be disassembled. Packaging excluded.


Life cycle impact by category and stage

Environmental impacts were calculated using the GaBi software platform. Impact results according to the BIFMA PCR have been calculated using IPCC 6, TRACI 2.1 characterization factors, as well as LCI indicators for primary energy and water usage. Results presented in this report are for 0.15 m³ (0.226 units) of a Share It maintained for 10 years. Additionally, the results are relative expressions and do not predict impacts on category endpoints, the exceeding of thresholds, safety margins, or risks.

	Unit	Life cycle stages				Totals
		A1-A3 Production stage	A4-A5 Construction stage	B1-B7 Use Stage	C1-C4 End of life stage	
*Global warming potential (100 years) Warming of the atmosphere caused by the global release of greenhouse gases.	kg CO2 eq	5.36E+01	1.80E+00	0.00E+00	5.40E+00	6.08E+01
*Acidification Emissions that increase the acidity of the environment due to various chemical reactions and/or biological activity, or by natural circumstances.	kg SO2 eq	4.70E-01	9.58E-03	0.00E+00	4.13E-03	2.90E-01
*Photochemical ozone creation (Smog) Through various chemical reactions, which occur between nitrogen oxides (NOx) and volatile organic compounds (VOCs) in sunlight.	kg O3 eq	2.07E+00	2.15E-01	0.00E+00	4.53E-02	4.65E+00
*Eutrophication Enrichment of an aquatic ecosystem with nutrients (nitrates, phosphates) that accelerate biological productivity and an undesirable accumulation of algal biomass.	kg N eq	9.10E-03	7.85E-04	0.00E+00	1.34E-03	1.76E-02
*Ozone depletion Reduction of the stratospheric ozone layer due to anthropogenic emissions of ozone depleting substances.	kg CFC-11 eq	9.44E-10	5.35E-15	0.00E+00	1.53E-13	3.73E-12
Primary energy demand Energy consumption at the source.	MJ	1.30E+03	2.40E+01	0.00E+00	9.86E+00	1.29E+03
Net freshwater usage Freshwater used and otherwise not recoverable.	kg	2.05E+02	3.39E+00	0.00E+00	1.34E+01	2.22E+02
Renewable primary resources used as an energy carrier (RPRE) First use materials from renewable sources with energy content used as a fuel	MJ	1.44E+02	1.01E+00	0.00E+00	1.54E+00	6.04E+01
Renewable primary resources used as material (RPRm) First use materials from renewable sources with energy content used as a material	MJ	2.87E+00	0.00E+00	0.00E+00	0.00E+00	1.97E+01
Non-renewable primary resources used as an energy carrier First use materials from non-renewable sources with energy content used as a fuel	MJ	4.93E+01	2.30E+01	0.00E+00	8.32E+00	1.06E+03
Non-renewable primary resources used as material First use materials from non-renewable sources with energy content used as a material	MJ	5.49E+02	0.00E+00	0.00E+00	0.00E+00	6.27E+01
Recovered electrical energy (EEE) Electrical energy recovered from disposal of waste in previous systems	MJ	1.69E-02	5.87E-02	0.00E+00	9.16E+00	2.22E+00
Recovered thermal energy (EET) Thermal energy recovered from disposal of waste in previous systems	MJ	3.02E-02	6.73E-02	0.00E+00	1.59E+01	1.28E+00

*Methods: TRACI 2.1, IPCC AR6

Global warming potential summary



60.8 kg total CO₂-eq footprint

This EPD was not written to support comparative assertions. EPDs based on different PCRs or different calculation models may not be comparable. When attempting to compare EPDs or life cycle impacts of products from different companies, the user should be aware of the uncertainty in the final results due to and not limited to the practitioner’s assumptions, the source of the data used in the study, the specifics of the product modeled, and the software tool used to conduct the study.

Life cycle resource consumption & waste summary

Additionally, results have been calculated using LCIA methodologies for core environmental impact categories specified in EN 15804+A2, as well as LCI indicators required by EN15804+A2. The results are relative expressions and do not predict impacts on category endpoints, the exceeding of thresholds, safety margins, or risks.

	Unit	Product Stage	Construction Stage			Use Stage							End of Life			Benefits and Loads Beyond the System Boundary	
		A1–A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	
Climate change, total	kg CO2 eq	5.62E+01	1.74E+00	3.12E+00	0	0	0	0	0	0	0	0	3.85E-02	8.28E+00	1.14E+02	-8.19E+00	
Climate change, fossil	kg CO2 eq	5.34E+01	1.74E+00	1.05E-02	0	0	0	0	0	0	0	0	3.85E-02	4.90E+00	3.12E-01	-8.19E+00	
Climate change, Biogenic	kg CO2 eq	2.81E+00	0.00E+00	3.11E+00	0	0	0	0	0	0	0	0	1.95E-05	3.38E+00	1.14E+02	0.00E+00	
Climate change, land use and land use change	kg CO2 eq	2.10E-02	9.55E-04	7.73E-06	0	0	0	0	0	0	0	0	2.09E-05	2.18E-04	1.14E-03	-2.60E-03	
Ozone depletion	kg CFC-11 eq	8.10E-10	2.56E-13	1.18E-14	0	0	0	0	0	0	0	0	5.58E-15	1.37E-12	1.09E-12	-3.26E-11	
Acidification	Mole of H+ eq	1.05E-01	1.03E-02	2.80E-05	0	0	0	0	0	0	0	0	1.37E-04	7.59E-04	2.32E-03	-2.92E-02	
Eutrophication, freshwater	kg P eq.	1.45E-04	8.66E-06	6.00E-07	0	0	0	0	0	0	0	0	1.89E-07	2.28E-07	1.61E-04	-3.62E-04	
Eutrophication, marine	kg N eq	3.26E-02	4.85E-03	1.46E-05	0	0	0	0	0	0	0	0	6.68E-05	2.45E-04	6.27E-04	-6.73E-03	
Eutrophication, terrestrial	Mole of N eq	3.30E-01	5.35E-02	1.09E-04	0	0	0	0	0	0	0	0	7.37E-04	3.70E-03	6.53E-03	-6.51E-02	
Photochemical ozone formation, human health	kg NMVOC eq	1.70E-01	9.96E-03	4.85E-05	0	0	0	0	0	0	0	0	1.31E-04	6.85E-04	1.52E-03	-2.27E-02	
Resource use, mineral and metals**	kg Sb eq	1.88E-04	2.29E-07	2.75E-10	0	0	0	0	0	0	0	0	4.92E-09	1.59E-09	2.10E-08	-7.14E-05	
Resource use, fossils**	MJ	1.15E+03	2.30E+01	7.42E-02	0	0	0	0	0	0	0	0	5.11E-01	2.57E+00	5.24E+00	-1.44E+02	
Water use**	m3 world equiv	6.96E+00	1.02E-01	3.10E-03	0	0	0	0	0	0	0	0	2.23E-03	5.16E-01	4.04E-02	-1.82E+00	
Use of renewable primary energy (PERE)	MJ	1.47E+02	1.00E+00	8.73E-03	0	0	0	0	0	0	0	0	2.19E-02	7.28E-01	7.87E-01	-8.70E+01	
Primary energy resources used as raw materials (PERM)	MJ	2.87E+00	0.00E+00	0.00E+00	0	0	0	0	0	0	0	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00	

This EPD was not written to support comparative assertions. EPDs based on different PCRs or different calculation models may not be comparable. When attempting to compare EPDs or life cycle impacts of products from different companies, the user should be aware of the uncertainty in the final results due to and not limited to the practitioner's assumptions, the source of the data used in the study, the specifics of the product modeled, and the software tool used to conduct the study.

SHARE IT | ENVIRONMENTAL PRODUCT DECLARATION | STEELCASE AMERICAS

		Product Stage	Construction Stage					Use Stage					End of Life	Benefits and Loads Beyond the System Boundary		
	Unit	A1–A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Total use of renewable primary energy resources (PERT)	MJ	1.50E+02	1.00E+00	8.73E-03	0	0	0	0	0	0	0	0	2.19E-02	7.28E-01	7.87E-01	-8.70E+01
Use of non-renewable primary energy (PENRE)	MJ	5.99E+02	2.30E+01	7.42E-02	0	0	0	0	0	0	0	0	5.11E-01	2.57E+00	5.24E+00	-1.44E+02
Non-renewable primary energy resources used as raw materials (PENRM)	MJ	5.49E+02	0.00E+00	0.00E+00	0	0	0	0	0	0	0	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of non-renewable primary energy resources (PENRT)	MJ	1.15E+03	2.30E+01	7.42E-02	0	0	0	0	0	0	0	0	5.11E-01	2.57E+00	5.24E+00	-1.44E+02
Input of secondary material (SM)	kg	2.78E+00	0.00E+00	0.00E+00	0	0	0	0	0	0	0	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels (RSF)	MJ	0.00E+00	0.00E+00	0.00E+00	0	0	0	0	0	0	0	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels (NRSF)	MJ	0.00E+00	0.00E+00	0.00E+00	0	0	0	0	0	0	0	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Recovered energy (RE)	MJ	0.00E+00	0.00E+00	0.00E+00	0	0	0	0	0	0	0	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of net fresh water (FW)	m3	2.05E-01	3.31E-03	7.53E-05	0	0	0	0	0	0	0	0	7.25E-05	1.21E-02	1.21E-03	-1.37E-01
Hazardous waste disposed (HWD)	kg	1.16E-05	3.10E-09	1.62E-11	0	0	0	0	0	0	0	0	6.67E-11	1.61E-09	1.29E-09	-1.32E-06
Non-hazardous waste disposed (NHWD)	kg	1.50E+01	2.27E-03	5.02E-02	0	0	0	0	0	0	0	0	4.98E-05	4.66E-01	1.11E+01	-1.20E+00
Radioactive waste disposed (RWD)	kg	2.29E-02	6.91E-05	1.11E-06	0	0	0	0	0	0	0	0	1.49E-06	1.08E-04	7.32E-05	-5.85E-03
Materials for recycling (MFR)	kg	2.40E+00	0.00E+00	1.41E-01	0	0	0	0	0	0	0	0	0.00E+00	2.16E+00	0.00E+00	0.00E+00
Exported electrical energy (EEE)	MJ	1.69E-02	0.00E+00	5.87E-02	0	0	0	0	0	0	0	0	0.00E+00	9.16E+00	-5.02E-06	0.00E+00
Exported thermal energy (EET)	MJ	3.02E-02	0.00E+00	6.73E-02	0	0	0	0	0	0	0	0	0.00E+00	1.59E+01	-1.95E-05	0.00E+00
Material for energy recovery (MER)	kg	0.00E+00	0.00E+00	0.00E+00	0	0	0	0	0	0	0	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Components for re-use (CRU)	kg	0.00E+00	0.00E+00	0.00E+00	0	0	0	0	0	0	0	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon removal from product (BCRP)	kg	4.49E-01	0.00E+00	0.00E+00	0	0	0	0	0	0	0	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00

SHARE IT | ENVIRONMENTAL PRODUCT DECLARATION | STEELCASE AMERICAS

	Unit	Product Stage			Construction Stage							Use Stage				End of Life			Benefits and Loads Beyond the System Boundary	
		A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D				
Biogenic carbon release from product (BCEP)	kg	0.00E+00	0.00E+00	0.00E+00	0	0	0	0	0	0	0	0	0.00E+00	0.00E+00	4.49E-01	0.00E+00				
Biogenic carbon removal from packaging (BCRK)	kg	3.23E-01	0.00E+00	0.00E+00	0	0	0	0	0	0	0	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00				
Biogenic carbon release from packaging (BCEK)	kg	0.00E+00	0.00E+00	3.23E-01	0	0	0	0	0	0	0	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00				
Particulate matter emissions (PM)	Disease incidence	1.35E-06	1.01E-07	2.53E-10	0	0	0	0	0	0	0	0	1.30E-09	8.77E-09	2.29E-08	-3.17E-07				
Ionizing human radiation (IRP)*	kBq U235 eq.	2.98E+00	5.84E-03	1.65E-04	0	0	0	0	0	0	0	0	1.26E-04	1.63E-02	9.98E-03	-8.36E-01				
Eco-toxicity freshwater (ETP-fw)**	CTUe	6.96E+02	1.79E+01	6.04E-02	0	0	0	0	0	0	0	0	4.07E-01	1.48E+00	1.23E+01	-7.51E+01				
Human toxicity - Cancer (HTP-c)**	CTUh	1.73E-08	3.07E-10	1.40E-12	0	0	0	0	0	0	0	0	6.92E-12	7.45E-11	1.70E-10	-5.44E-09				
Human toxicity - noncancer (HTP-nc)**	CTUh	4.70E-07	7.00E-09	1.19E-10	0	0	0	0	0	0	0	0	1.57E-10	5.67E-09	3.68E-09	-6.97E-08				
Land use related impacts / soil quality (SQP)**	n/a	1.17E+02	4.37E+00	9.72E-03	0	0	0	0	0	0	0	0	9.55E-02	6.34E-01	8.88E-01	-1.31E+02				

* This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.

** The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator

Module D: 21% of recycled materials were assumed to be available for subsequent use and offset and equivalent amount of primary materials. Recovered energy was assumed to be in the form of electrical energy and thermal heat from the average European-28 electricity grid mix to consumer.

Functional Unit	
Parameter	Value
Declared unit	0.15m3 of storage for a 10-year period
Number of occupants	N/A
Reference service life required	10 years

A4: Transport to the building site		
Parameter	Value per functional unit	Value per functional unit
Transportation type	Truck	Ship
Fuel consumption (l/km)	0.42 diesel	130 heavy fuel oil
Distance	872 km	410 km
Capacity utilization	67%	53%
Capacity utilization volume factor	=1	=1
Weight of product (kg)		15.909
Volume (m ³)		0.665

A5: Installation in the building	
Parameter	Value per functional unit
Packaging waste for recycling	0.219 kg
Installation Assumptions	No product waste, Installed with hand tools.

B1: Use	
Parameter	Value per functional unit
There are no emissions related to the expected use of this product.	

B2: Maintenance	
Parameter	Value per functional unit
Maintenance Process	Cleaning with cotton cloth
Maintenance cycle	0
Ancillary Materials for maintenance (kg/cycle)	0
Waste materials resulting from maintenance (kg)	0
Net freshwater consumption during maintenance (m ³)	0
Energy input during maintenance (kWh)	0

Reference service life (RSL)	
Parameter	Value per functional unit
Reference service life	10 years
Design application parameters	Use as indicated in product brochure and warranty
Declared product properties	Properties given in product description on page 3
Indoor environment	Typical office and home environment

B3: Repair	
Parameter	Value per functional unit
Repair process	No repairs are expected for this product
Inspection process	No repairs are expected for this product
Repair cycle (#/RSL)	0
Ancillary materials (kg)	0
Waste materials from repair (kg)	0
Net freshwater consumption during repair (m ³)	0
Energy input during repair (kWh)	0

B4: Replacement	
Parameter	Value per functional unit
Replacement cycle (#/RSL)	0
Energy input during replacement (kWh)	0
Exchange of worn parts during the products life cycle (kg)	0

B5: Refurbishment	
Parameter	Value per functional unit
Refurbishment process	No refurbishment is expected for this product
Refurbishment cycle (#/RSL)	0
Energy input during refurbishment (kWh)	0
Material input for refurbishment (kg)	0
Waste material resulting from refurbishment (kg)	0

B6 and B7: Use of energy and Use of Water	
Parameter	Value per functional unit
Ancillary materials (kg)	0
Net freshwater consumption (m ³)	0
Power output of equipment (kW-hr)	0
Characteristic performance	n/a

C1-C4: End-of-life	
Parameter	Value per functional unit
Weight of product collected	15.690 kg
Weight to recycling	1.04 kg
Weight to energy recovery	2.93 kg
Weight to landfill	11.72 kg
Distance to recycling	32.2 km
Distance to energy recovery	32.2 km
Distance to landfill	32.2 km

This EPD was not written to support comparative assertions. EPDs based on different PCRs or different calculation models may not be comparable. When attempting to compare EPDs or life cycle impacts of products from different companies, the user should be aware of the uncertainty in the final results due to and not limited to the practitioner’s assumptions, the source of the data used in the study, the specifics of the product modeled, and the software tool used to conduct the study.

ADDITIONAL ENVIRONMENTAL INFORMATION

Indoor air: Steelcase storage products are certified with SCS's Indoor Advantage Gold™ program, conforming to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and CDPH/EHLB Standard Method (CA 01350) v1.2-2017. The certification can be found [here](#).

Improper disposal of product: At the end of its useful life, manage Steelcase products correctly in accordance with all applicable regulations for effective end-of-life management, including recycling, disposal, or incineration. Improper management may result in the release of chemicals that may represent a risk to the environment and human health & safety.

Steelcase®

Visit steelcase.com



Contact
For further questions, please contact:
epd@steelcase.com

REFERENCES

EN 15804:2012+A2.2019/AC:2021, Sustainability of construction works – Environmental product declarations – Core rules for the product category of construction products.

Life Cycle Assessment, Global Storage. Steelcase Inc. December 2024.

NSF BIFMA Product Category Rule (PCR) for Storage: UNCPC 3812.

NSF Certification Policies for Environmental Product Declarations (EPD). November 1, 2022.

ISO 14025:2006 Environmental Labels and Declarations – Type III Environmental Declarations – Principles and Procedures.

ISO 14040:2006 Environmental Management – Life Cycle Assessment – Principles and Framework, Requirements and Guidelines.

ISO 14044:2006 Environmental Management – Life cycle assessment – Requirements and Guidelines.

ISO 14044: 2006/ Amd 1:2017 Environmental Management – Life cycle assessment – Requirements and Guidelines – Amendment.